

Epi-On® Soothing Jelly Mask

FORMULATION

Formulation No. 200225H4

PHASE	INCI NAME	COMMERCIAL NAME	Q'TY
A	Water	Water	50.19
A	Sodium Acrylate/Sodium Acryloyl Dimethyl Taurate Copolymer (and) Cetyl Alcohol (and) Glycol Stearate (and) Glyceryl Stearate (and) Caprylic/Capric Triglyceride	Jeesperse ICE-T LB-T-NS	2.50
B	Water		40.00
B	Carbomer	Carbopol 941	0.60
B	Sodium Hydroxide	Sodium Hydroxide	0.03
C	Glycerin	Glycerin	2.50
C	Methylparaben	Methylparaben	0.10
D	Azelamidopropyl Dimethyl Amine (and) Water (and) Butylene Glycol	Epi-On®	4.00
D	CI 15985	FD&C Yellow No.6	q.s.
D	Fragrance	LAVANDE TK 6767AF	0.08
			100.00

INSTRUCTIONS

1. Disperse Phase A and Phase B, respectively.
2. Mix Phase C with mild heat.
3. Mix Phase A, B and C while stirring.
4. Add ingredients in Phase D in sequence and mix well.

APPEARANCE

Light orange opaque gel

TECHNICAL DATA

pH (Cyber Scan pH510): 5.3

Viscosity (Brookfield DV-I/S64, 30 rpm, 2 min): 10000-16000 cP

Stability tested at 45°C for 90 days