

## 15% Azelaic Acid Oil-Free Compact Powder

### FORMULATION

Formulation No. 220824A-15-E

PHASE	INCI NAME	COMMERCIAL NAME	Q'TY
A	Talc	Micro ACE P-2	56.60
A	Nylon-12	Nylon 2159V	4.00
A	HDI/Trimethylol Hexyllactone Crosspolymer, Silica	BPD-500W	2.00
A	Mica, Stearoyl Glutamic Acid	MICA S-ASG <sub>3</sub>	2.00
A	Titanium Dioxide, Triethoxycaprylylsilane	BTD-11S <sub>2</sub>	10.00
A	CI 77499, Isopropyl Titanium Triisostearate	BBO-l <sub>2</sub>	0.30
A	CI 77491, Isopropyl Titanium Triisostearate	BRO-l <sub>2</sub>	0.50
A	CI 77492, Isopropyl Titanium Triisostearate	BYO-l <sub>2</sub>	2.00
B	Octyldodecyl Stearoyl Stearate	Corum 5047	1.00
B	Isoeicosane	Permethyl 102A	1.00
B	Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol	Jeecide CAP-2	0.50
B	Fragrance	NOBLE LEAF ITM0343782	0.10
B	Synthetic Wax	Press Aid TW	5.00
B	Azelaic Acid	Azelaic Acid	15.00
			100.00

#### INSTRUCTIONS

1. Put Part A in chalking machine, and mix until uniform.
2. Remove some of the powder from chalking machine and mix well with Part B. Then add back into chalking machine, and mix until uniform.
3. Take out the powder, and press into compact powder.

#### APPEARANCE

Beige Powder