

## 10% Azelaic Acid Oil-Free Compact Powder

### FORMULATION

Formulation No. 221017|P P A-1 2 10-E

PHASE	INCI NAME	COMMERCIAL NAME	Q'TY
A	Talc	Micro ACE P-2	63.10
A	Nylon-12	Nylon 2159V	4.00
A	HDI/Trimethylol Hexyllactone Crosspolymer, Silica	BPD-500W	2.00
A	Mica, Stearoyl Glutamic Acid	MICA S-ASG3	2.00
A	Titanium Dioxide, Triethoxycaprylylsilane	BTD-11S2	10.00
A	CI 77499, Isopropyl Titanium Triisostearate	BBO-I2	0.30
A	CI 77491, Isopropyl Titanium Triisostearate	BRO-I2	0.50
A	CI 77492, Isopropyl Titanium Triisostearate	BYO-I2	2.00
B	Tetrahexyldecyl Ascorbate	IP-VC™	1.00
B	Pentaerythrityl Tetraisostearate, Caprylic/Capric Triglyceride, Stearalkonium Hectorite, Propylene Carbonate, Palmitoyl Tripeptide-1	C-Pep™ Tricoll CC	1.00
B	Pentaerythrityl Tetraisostearate, Caprylic/Capric Triglyceride, Stearalkonium Hectorite, Propylene Carbonate, Palmitoyl Hexapeptide-12	C-Pep™ Elastyl CC	1.00
B	Fragrance	BEAUX ARTS ITM0394652	0.10
B	Synthetic Wax	Press Aid TW	3.00
B	Azelaic acid	Azelaic acid	10.00
			100.00

#### INSTRUCTIONS

1. Put Part A in chalking machine, and mix until uniform.
2. Remove some of the powder from chalking machine and mix well with Part B. Then add back into chalking machine, and mix until uniform.
3. Take out the powder, and press into compact powder.

#### APPEARANCE

Beige Powder