

FORMULATION

Formulation No. 190218H/P-0.1/7-W

PHASE	INCI NAME	COMMERCIAL NAME	Q'TY
A	CI 19140:1	21DB4808	0.100
A	CI 15850:2	31DA3006	0.040
A	CI 77491	34PC3511	0.004
A	Diisostearyl Malate	Corum 5015	10.000
B	Stearyl Dimethicone	BELSIL SDM 5055 VP	2.000
B	Isostearyl Isostearate	Corum 5088	10.000
B	Octyldodecyl Stearoyl Stearate	Corum 5047	10.000
B	Pentaerythrityl Tetraisoesterate	Corum 5041	6.000
B	Phytosteryl Hydroxystearate	Corum 5081	1.300
B	PEG-8 Beeswax	Corum 2680	5.000
B	Polyisobutene	Permethyl 104A	30.656
B	Petrolatum	Petrolatum	15.000
C	Calcium Sodium Borosilicate (and) Titanium Dioxide (CI 77891) (and) Tin Oxide	Mirage Twinkling Silver	1.500
C	BHA (and) BHT (and) Propyl Gallate (and) Citric Acid	Corum 9188	0.200
C	Tocopheryl Acetate	Tocopheryl Acetate	0.500
C	Phenoxyethanol	Phenoxyethanol	0.500
C	Pentaerythrityl Tetraisoesterate (and) Caprylic/Capric Triglyceride (and) Stearalkonium Hectorite (and) Propylene Carbonate (and) Palmitoyl Hexapeptide-12	C-Pep™ Elastyl CC	5.000
C	Pentaerythrityl Tetraisoesterate (and) Caprylic/Capric Triglyceride (and) Stearalkonium Hectorite (and) Propylene Carbonate (and) Palmitoyl Tripeptide-1	C-Pep™ Tricoll CC	2.000
C	Vanillyl Butyl Ether	HotFlux®	0.100
C	Fragrance	Hokusai 815018 B	0.100

INSTRUCTIONS

1. Mix Part A with high speed homogenizer until uniform.
2. Heat Part A and B separately to 75-80°C, then mix Part A to B with stirring.
3. Maintain a temperature of 75°C for 5 minutes with stirring
4. Then remove the heater and cool down to 50°C with stirring.
5. Add Part C to Part A/B with stirring and cool down to RT.

APPEARANCE

Peach viscous liquid with pearl

TECHNICAL DATA

pH (Cyber Scan pH510): N/A

Viscosity (Brookfield DV-I /S64, 100 rpm, 30 sec):2012 cP