

## FORMULATION

Formulation No. 170526W

PHASE	INCI NAME	COMMERCIAL NAME	Q'TY
A	Water	Water	87.43
A	Acrylates/C10-30 Alkyl Aacrylate Crosspolymer	Carbopol® Ultrez 20	0.12
A	Sodium Hydroxide	NaOH (10%)	0.25
B	PVM/MA Decadiene Crosspolymer	Stabileze QM (2%)	2.60
C	Sodium Hyaluronate	Na Hyaluronate (1%)	5.00
C	Glycerin (and) Palmitoyl Tripeptide-1	Tricoll™ MB	1.60
C	Glycerin (and) Palmitoyl Hexapeptide-12	Elastyl™ MB	1.60
C	Methylparaben	Methylparaben	0.20
D	Cholesteryl isostearate (and) Cholesteryl chloride (and) Cholesteryl nonanoate (and) Silica dimethyl silylate	VivGlow™ Opal	1.20

### INSTRUCTIONS

1. The thickener was dispersed in water and stirred until it was homogeneous.
2. Add NaOH to adjust the pH.
3. Add Part B and stir evenly without bubbling bubbles.
4. Add Part C in sequence and mix well.
5. Add fan-shaped stirring leaves, add VivGlow™ Opal, stir slowly until VivGlow™ Opal into small particles.

### APPEARANCE

Holographic suspension

### TECHNICAL DATA

pH (Cyber Scan pH510): 6.34

Viscosity (Brookfield DV-1/ S63, 30 rpm, 30 sec): 3520 cP