

#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier** 

Trade name Corum 5117

INCI NAME
Quaternium-60 (and) Propylene Glycol
CAS number
72102-40-0 (and) 67633-63-0 (and) 57-55-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use**Used in the formulation of cosmetics and personal care

products
Cosmetic
Skin cosmetics
Cosmetic auxiliary
Cosmetic Active Agent

Uses advised against Not determined Product category Not determined Process category Not determined

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier

CORUM INC.

6FL., No.360, Ruei Guang Rd., Neihu Dist, Taipei 11492, Taiwan Further information obtainable from marketing.support@corum.com.tw

1.4 Emergency telephone number

Company phone number CORUM Tel. 886-2-8751-6060

Fax. 886-2-8751-6363

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

This substance is not classified according to the CLP regulation

#### 2.2 <u>Label elements</u>

Label according to Regulation (EC) No 1272/2008

Not applicable

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Not applicable

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**



#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

3.1 Chemical characterization: Mixtures

#### 3.2 Composition/information on ingredients

| INCI Name Chemical Name |   | CAS No.    | EC No.    |
|-------------------------|---|------------|-----------|
| Propylene Glycol        | Propane-1,2-diol  | 57-55-6    | 200-338-0 |
| Quaternium-60           | Ethyldimethyl[3-[(1-oxoisooctadecyl)amino] propyl]ammonium ethyl sulphate                 | 67633-63-0 | 266-778-0 |
| Quaternium-60           | 1-Propanaminium,<br>3-amino-N-ethyl-N,N-dimethyl-, N-lanolin<br>acyl derivs., Et sulfates | 72102-40-0 | 276-339-5 |

#### **SECTION 4: FIRST AID MEASURES**

4.1 <u>Description of first aid measures</u>

General information Involve doctor immediately. Immediately remove any clothing

soiled by the product.

After inhalation Supply fresh air; consult a doctor in case of complaints.

After skin contact Generally the product does not irritate the skin

Wash skin with water and/or a mild detergent. If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water. If

symptoms persist, consult a doctor.

After swallowing Rinse out mouth and then drink plenty of water.

Do not give anything by mouth to an unconscious person. Do not induce vomiting. Obtain medical attention if symptoms

appear.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No further relevant information available

4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

Unsuitable extinguishing media



#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

No further relevant information available

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

Sulphur dioxide (SO<sub>2</sub>)

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus with facepiece.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment.

#### 6.2 **Environmental precautions**

Do not allow product to reach sewage system or any water course.

#### 6.3 Methods and material for containment and cleaning up

If necessary dike the product with dry earth, sand or similar noncombustible materials.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically using appropriate tools.

Dispose contaminated material as waste according to item 13.

Clean the area with water.

#### 6.4 Reference to other sections

See Section 7 for information on safe handing.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precaution for safe handling

Advice on safe handling Avoid contact with skin and eyes.

Avoid contact with clothing.

Avoid inhalation of vapour or mist.

Ensure good ventilation/exhaustion at the workplace.

Wash thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Keep container tightly closed in a dry and well-ventilated

place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

Store in a cool place.

**Incompatible materials** Check all containers are clearly labelled and free from leaks.

Storage class (VbF) No

**7.3** Specific end use(s) No further relevant information available.



#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

**Exposure limits** The product does not contain any relevant quantities of

materials with critical values that have to be monitored at the

workplace.

PNEC Not determined Not determined

**Additional information** The valid lists during this review were used as a basis.

8.2 Exposure controls

Personal protective equipment

Respiration protection Not necessary if room is well-ventilated

Recommended exposure limits have not been established for this material. Whether there is a need for respiratory protection under your conditions of handling of this material should be

evaluated by a qualified health specialist.

1115

Hands protection Protective gloves

Rubber gloves Plastic gloves

The glove material has to be impermeable and resistant to the

product/the substance/the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore

to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

**Eye protection** Chemical safety goggles

**General protective measure** Avoid contact with the eyes and skin.

General hygiene measure Wash hands before breaks and at the end of work.

Environmental exposure No further relevant information available

controls

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**



#### according to 1907/2006/EC, Article 31

Trade name: Corum 5117 Version: 5 Revision: 2020.11.04

9.1 <u>Information on basic physical and chemical properties</u>

Physical State Liquid

Appearance Viscous liquid
Color Amber coloured

Gardner: 8.0 Max

**Odor** Typical

Oder threshold Not determined

**Property** 

pH value (5%)

Melting point/Melting range

Boiling point/Boiling range

Flash point

Flammability (solid, gaseous)

3.0 – 5.0 (5% solution)

Not determined

188 °C (calculated)

> 99 °C (calculated)

Not applicable

Ignition temperature 371 °C (for CAS: 57-55-6)

**Decomposition temperature** Not determined

**Self-igniting** Product is not self-igniting.

**Danger of explosion** Product does not present an explosion hazard.

**Explosion limit** 

**Lower** 2.6 Vol % (for CAS: 57-55-6) **Upper** 12.6 Vol % (for CAS: 57-55-6)

Oxidizing properties Not determined Explosive properties Not determined

Vapor pressure 0.1 hPa (for CAS: 57-55-6) at 20°C

Vapor density 0.987 g/cm³ (for CAS: 57-55-6) at 20°C

Relative densityNot determinedEvaporation rateNot determinedSolubilityFully miscible

Partition coefficient

(n-octanol/water at 25 °C) Not determined

log Pow= -1,07 (25 °C) for ingredient CAS: 57-55-6

Kinematic Viscosity Not determined

**Dynamic Viscosity** 46 mPas (for CAS: 57-55-6)

9.2 Other information

Surface tensionNot determinedDissociation constantNot determinedGranulometryNot applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No further relevant information available

#### 10.2 Chemical stability

Stable under recommended storage conditions

Thermal decomposition/conditions to be avoided

No decomposition if used according to specifications

#### 10.3 Possibility of hazardous reactions



#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

No dangerous reactions known

#### 10.4 Conditions to avoid

No further relevant information available

#### 10.5 Incompatible materials

No further relevant information available

#### 10.6 <u>Hazardous decomposition products</u>

No dangerous decomposition products known

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 <u>Information on toxicological effects</u>

Acute toxicity

Harmful if swallowed

LD/LC50 values relevant for classification

|                                    | Effect dose/concentration | Value         | Species |  |  |
|------------------------------------|---------------------------|---------------|---------|--|--|
| Substance 57-55-6 propane-1,2-diol |                           |               |         |  |  |
| Acute oral toxicity                | LD50                      | 2000 mg/kg bw | rat     |  |  |
| Acute dermal toxicity              | LD50                      | 20800 mg/kg   | rabbit  |  |  |

Primary Irritant effect

Skin corrosion/irritation Non-irritant (Human) (Corum 5117 (5%) 48 hr semi-occl. single

patch test)

Serious eye damage/irritation Causes serious eye damage.

Respiratory tract Not determined

**Respiratory/skin sensitization**Based on available data, the classification criteria are not met.

Additional toxicological information

Toxicokinetics, metabolism

and distribution

Not determined

Repeated dose toxicity Not determined

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

**Germ Cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable



#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

**Aquatic toxicity** 

|                                    | Effect dose/concentration | Value      | Species               | Test                  |  |  |  |
|------------------------------------|---------------------------|------------|-----------------------|-----------------------|--|--|--|
| Substance 57-55-6 propane-1,2-diol |                           |            |                       |                       |  |  |  |
| Acute toxicity                     | LC50 (48hr) static        | 43500 mg/l | Daphnia               | OECD TG 202           |  |  |  |
| Acute toxicity                     | EC50                      | <5300 mg/l | Skeletonemum costatum | OECD TG 201 (14 day)  |  |  |  |
| Acute toxicity                     | EC50 (96hr)               | 19100 mg/l | Skeletonemum costatum | OECD TG 201           |  |  |  |
| Other                              | NOEC                      | <5300 mg/l | Skeletonemum costatum | OECD TG 201 (14 days) |  |  |  |

#### 12.2 Persistence and degradability

ingredient CAS: 57-55-6 is not persistent, as it has shown to be readily biodegradable. No further relevant information available

#### 12.3 Bioaccumulative potential

On the basis of its Log Pow, ingredient CAS: 57-55-6 has not potential for bioaccumulative properties. No further relevant information available

#### 12.4 Mobility in soil

No further relevant information available

#### 12.5 Results of PBT and vPvB assessment

Not applicable

#### 12.6 Other adverse effects

No further relevant information available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage.

Do not allow product to reach sewage system.

13.2 <u>Uncleaning packaging</u>

**Recommendation** Disposal must be made according to official regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 <u>UN-Number</u>

ADR/RID Not applicable ADN Not applicable



#### according to 1907/2006/EC, Article 31

Trade name: **Corum 5117** Version: 5 Revision: 2020.11.04

IMDG Not applicable IATA Not applicable

14.2 UN proper shipping name

ADR/RID Not applicable
ADN Not applicable
IMDG Not applicable
IATA Not applicable

14.3 Transport hazard class(es)

ADR/RID Not applicable
ADN Not applicable
IMDG Not applicable
IATA Not applicable

14.4 Packing group

ADR/RID Not applicable
ADN Not applicable
IMDG Not applicable
IATA Not applicable

14.5 Environmental hazard

Marine pollutant No

14.6 Special precautions for user

Special precaution for user Not applicable

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

14.8 ICAO/IATA - DGR

Not regulated as dangerous good

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safe, health and environmental regulations/legislation specific for the substance or mixture

#### Inventory - United States - Toxic Substances Control Act (TSCA)

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate 72102-40-0 1-Propanaminium, 3-amino-N-ethyl-N,N-dimethyl-, N-lanolin acyl derivs., Et sulfates

#### Canada Domestic Substances List (DSL)

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate 72102-40-0 1-Propanaminium, 3-amino-N-ethyl-N,N-dimethyl-, N-lanolin acyl derivs., Et sulfates

#### Canada Non-Domestic Substances List (NDSL)

Substance is not listed.

#### **European Inventory of Existing Chemical Substances (EINECS)**

57-55-6 Propane-1,2-diol



#### according to 1907/2006/EC, Article 31

Trade name: Corum 5117 Version: 5 Revision: 2020.11.04

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate 72102-40-0 1-Propanaminium, 3-amino-N-ethyl-N,N-dimethyl-, N-lanolin acyl derivs., Et sulfates

#### Japan Existing and New Chemical Substances (ENCS)

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate

#### China Inventory of Existing Chemical Substance (IECSC)

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate 72102-40-0 1-Propanaminium, 3-amino-N-ethyl-N,N-dimethyl-, N-lanolin acyl derivs., Et sulfates

#### Korean Existing and Evaluated Chemical Substances (KECL)

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate 72102-40-0 1-Propanaminium, 3-amino-N-ethyl-N,N-dimethyl-, N-lanolin acyl derivs., Et sulfates

#### **Australian Inventory of Chemical Substances (AICS)**

57-55-6 Propane-1,2-diol

67633-63-0 Ethyldimethyl[3-[(1-oxoisooctadecyl)amino]propyl]ammonium ethyl sulphate 72102-40-0 1-Propanaminium, 3-amino-N-ethyl-N,N-dimethyl-, N-lanolin acyl derivs., Et sulfates

#### **National regulations**

#### Other regulations, limitations and prohibitive regulations

Not determined

#### Substances of very high concern (SVHC) according to REACH, Article 59(10)

Not determined

#### 15.2 Chemical safety assessment

This substance has been registered for a tonnage band <10 tons and a Chemical Safety Assessment is not mandatory according to REACH Regulation.

DNELs and PNECs can't be calculated with the information requirements of Annex VII. Following ECHA Guidance R.7 part E, Risk Management Measures are described for substances classified for certain Hazard Classes (Table E.3-1). These RMM are included in this Safety Data Sheet in a format of Exposure Scenario.

This Exposure Scenario is provided on a voluntary basis.

A Chemical Safety Assessment has been carried out.

#### **SECTION 16: OTHER INFORMATION**

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of CORUM Inc. It relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. CORUM Inc. assumes no legal responsibility for use of or reliance upon this information.

#### Abbreviations and acronyms

GHS: Globally Harmonized System of Classification and Labeling Chemicals CAS: Chemical Abstract Service (division of the American Chemical Society)



according to 1907/2006/EC, Article 31

Revision: 2020.11.04 Trade name: Corum 5117 Version: 5

VbF: Ordinance on the storage of combustible liquids, Austria

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent SVHC: Substances of Very High Concern PBT: Persistent Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

STOT: Specific Target Organ Toxicity ADR: Agreement on Dangerous Goods by Road

RID: Regulations concerning the Intl Transport of Dangerous Goods by Rail

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association NOEC: No Observed Effect Concentration

#### **Sources**

Own data from manufacture

Chemical safety report according to REACH registration dossier